



# INLAND TECHNOLOGY INCORPORATED

401 East 27th Street, Tacoma, Washington 98421

Tacoma (253) 383-1177  
Web Site [www.inlandtech.com](http://www.inlandtech.com)  
E-mail [inland@inlandtech.com](mailto:inland@inlandtech.com)

Toll Free (800) 552-3100  
Fax (253) 593-8749

## TEKSOL<sup>®</sup> EP (Aerosol)

**TEKSOL<sup>®</sup> EP (Aerosol)** is an ultra-safe technical solvent designed for precision cleaning in a variety of industrial applications where a residue-free surface is required.

**TEKSOL<sup>®</sup> EP (Aerosol)** reduces the risks and costs of cross-contamination from hazardous solvents because **TEKSOL<sup>®</sup> EP (Aerosol)** contains no 1,1,1 Trichloroethane, Perchloroethane, Methylene Chloride, or other chlorinated or halogenated solvents.

**TEKSOL<sup>®</sup> EP's (Aerosol)** responsible formulation represents a major improvement in employee safety, as well as environmental impact. **TEKSOL<sup>®</sup> EP's (Aerosol)** "no-residue" formulation and powerful cleaning action make it the safer alternative for:

- Cleaning brakes and other automotive applications
- Cleaning motors, switches, relays, and other electrical applications
- Cleaning circuit boards and other electronic components
- Many other precision-cleaning applications

**TEKSOL<sup>®</sup> EP's** high dielectric strength and relatively high flash point make **TEKSOL<sup>®</sup> EP (Aerosol)** the ideal non-chlorinated solvent for cleaning electrical components.

**TEKSOL<sup>®</sup> EP (Aerosol)** enjoys the following specifications:

### U.S. NAVY – NAVAIR

- TEI 343-2273-93 – Wipe solvent substitution for Freon 113 and 1,1,1 Trichloroethane

### U.S. ARMY

- TB 43-0135 – Recommended substitute for ozone depleting substances used on communications-electronics equipment

### WESTINGHOUSE

- M53316LL

### U.S. DEPARTMENT OF DEFENSE

- Military Specification MIL-C-81964A – Avionic Cleaner

### Physical/Chemical Characteristics of TEKSOL<sup>®</sup> EP

Flash Point: 112°F

Vapor Density: >4

Vapor Pressure (mmHg @ 25°C): <2

Initial Boiling: 310°F

Evaporation Rate (n-Butyl Acetate= 1): .3

Volatility: 100%

**National Stock Number: 6850-01-399-1640**